

References from the peer-reviewed manuscripts from our Balance Report.

References

1. Adkin, A., Frank, J., Jog, M. (2003). Fear of falling and postural control in Parkinson's disease. *Movement Disorders*. 18 (5), 496-502.
2. Allain, H., Schuck, S., Manduit, N. (2000) Depression in Parkinson's disease. *British Medical Journal*, 13; 320 (7245), 1287-1288.
3. Bernal, A., Arango, G., Grandados, A., & Fernandez, W. (2005). Gait assessment in parkinsonism, dementia, and normal aging. Poster presentation at the 9th International Congress of Parkinson's Disease & Movement Disorders, New Orleans.
4. Cully, J., Johnson, M., Moffett, M., Khan, M., Deswal, A. (2009). Depression and anxiety in ambulatory patients with heart failure. *Psychosomatics*. 50 (6), 592-8.
5. Cummings, J. (1992). Depression and Parkinson's disease: A review. *American Journal of Psychiatry*, 149, 443-54.
6. Ferraro, F., Chelminski, L. (1996). Preliminary normative data on the Geriatric Depression Scale-Short Form (GDS-SF) in a young adult sample. *J Clin Psychol*. 52 (4), 443-47.
7. Forsaa, E., Larsen, J., Wentzel-Larsen T., Herlofson K., Alves, G. (2008). Predictors and course of health-related quality of life in Parkinson's disease. *Movement Disorders*. 23 (10), 1420-27.
8. Gassmann, K., Rupprecht, R.; IZG Study Group. (2009). Dizziness in an older community dwelling population: a multifactorial syndrome. *J. Nutr. Health Aging*. 13 (3), 278-82.
9. Gassmann, K., Rupprecht, R., Freiberger, E.; IZG Study Group. (2009). Predictors for occasional and recurrent falls in community-dwelling older people. *Z Gerontol Geriatr*. 42(1): 3-10.
10. Hausdorff, J. (2009). Gait dynamics in Parkinson's disease: common and distinct behavior among stride length, gait variability, and fractal-like scaling. *Chaos*. 19 (2), 026113.
11. Hausdorff, J., Yogev, G., Springer, S., Simon, E., & Giladi (2005). Walking is more like catching than tapping: Gait in the elderly as a complex cognitive task. Poster presentation at the 9th International Congress of Parkinson's Disease & Movement Disorders, New Orleans.

12. Horak, F. (2005). Balance and Gait in Parkinson's Disease. Presentation at The 9th International Congress of Parkinson's Disease and Movement Disorders. New Orleans, March 2005.
13. Lajoie, Y., Gallagher, S. (2004). Predicting falls within the elderly community: comparison of postural sway, reaction time, the Berg balance scale and the Activities-specific Balance Confidence (ABC) scale for comparing fallers and non-fallers. *Arch Gerontol Geriatr.* 38 (1), 11-26.
14. Mak, M., Pang, M. (2008). Balance self-efficacy determines walking capacity in people with Parkinson's disease. *Movement Disorders.* 23 (13), 1936-39.
15. McAuley, E., Mihalko, S., Rosengren, K. (1997). Self-efficacy and balance correlates of fear of falling in the elderly. *Journal of Aging and Physical Activity,* 5,329-340.
16. Meguro, K., Ueda, M., Yamaguchi, T., Sekita, Y., Yamazaki, H., Oikawa, Y., Kikuchi, Y., Matsuzawa, T. (1990). Disturbance in daily sleep/wake patterns in patients with cognitive impairment and decreased daily activity. *J AM Geriatric Soc.* 38 (11), 1176-82.
17. Menza, M. & Marsh, L. (2006). *Psychiatric Issues in Parkinson's Disease: A Practical Guide.* Taylor & Francis, United Kingdom.
18. Muslimovic, D., Post, B., Speelman, J., Schmand, B., De Haan, R. (2008). Determinants of disability and quality of life in mild to moderate Parkinson's disease. *Neurology.* 70 (23), 2241-7.
19. Pickering, R., Grimbergen, Y., Rigney, U., Ashburn, A., Mazibrada G., Wood B., Gray, P., Kerr, G., Bloem, B. (2007). A meta-analysis of six prospective studies of falling in Parkinson's disease. *Movement Disorders.* 22 (13), 1892-900.
20. Powell, L., Myers, A. (1995). The Activities-Specific Balance Confidence (ABC) Scale. *Journal of Gerontology: Medical Sciences,* 50A, M28-M34.
21. Rahman, S., Griffin, H., Quinn, N., Jahanshahi, M. (2008). Quality of life in Parkinson's disease: the relative importance of the symptoms. *Movement Disorders.* 23 (10), 1428-34.
22. Weaver, F., Follett, K., Stern, M., Hur, K., Harris, C., Marks, W. Jr, Rothlind, J., Sagher, O., Reda, D., Moy, C., Pahwa, R., Burchiel, K., Hogarth, P., Lai, E., Duda, J., Holloway, K., Samii, A., Horn, S., Bronstein, J., Stoner, G., Heemskerk, J., Huang, GD; CSP 468 Study Group. (2009). Bilateral deep brain stimulation vs best medical therapy for patients with advanced Parkinson disease: a randomized controlled trial. *JAMA.* 301(1), 63-73.